

**Amendment to the Claims:**

1. (Currently Amended) A target treatment apparatus for treating a target region within a subject, the apparatus comprising:

an MRI apparatus for generating MR images during an MR scan of the subject disposed within an examination region;

an MRI localizer for receiving the image data from the MRI apparatus wherein the target is localized;

a reference marker localizer for non-invasively receiving reference data from a plurality of reference points disposed in proximity to the target wherein the reference points are localized; and

a tracking processor for receiving localized data from the MRI localizer wherein a relationship between the reference ~~markers~~ points and the target region is generated.

2. (Currently Amended) A target treatment apparatus as set forth in claim 1 further comprising:

a treatment controller for receiving: (i) the relationship between the reference ~~markers~~ points and the target region from the tracking processor; and (ii) reference ~~marker~~ data from the reference marker localizer during a target treatment session, wherein an interventional tool is controlled to treat the target.

3. (Previously Presented) A target treatment apparatus as set forth in claim 2 wherein the plurality of reference points are defined by a plurality of external markers disposed on the subject and the reference marker localizer comprises a plurality of video cameras for detecting the external markers.

4. (Previously Presented) A target treatment apparatus as set forth in claim 2 wherein the plurality of reference points are defined by a plurality of points on the diaphragm of the subject and the reference marker localizer comprises a navigator processor for identifying the reference points from a navigator scan.

5. (Original) A target treatment apparatus as set forth in claim 4 wherein the interventional tool comprises a focused ultrasound ablator disposed within the examination region.

6. (Currently Amended) A method of treating a target region within a subject, the method comprising:

generating magnetic resonance images of the subject disposed within an examination region;

localizing the target region from the MR images;

non-invasively localizing a plurality of reference points disposed in proximity to the target; and

generating a relationship between the reference ~~markers~~ points and the target region.

7. (Currently Amended) A method as set forth in claim 6 further comprising:

localizing at least a sub-set of the reference points during a treatment session; and

controlling an interventional tool based on the localized reference points from the treatment session which serve as input to the relationship between the reference ~~markers~~ points and the target region to estimate the location of the target.

8. (Previously Presented) A method as set forth in claim 6 wherein the plurality of reference points are defined by a plurality of external markers disposed on the subject and the reference markers are localized using a plurality of video cameras.

9. (Original) A method as set forth in claim 6 wherein the plurality of reference points are defined by a plurality of points on the diaphragm of the subject and the reference points are localized using a navigator processor.

10. (Original) A method set forth in claim 7 wherein the interventional tool comprises a focused ultrasound ablator.

11. (Currently Amended) An apparatus for treating a target region within a subject, the apparatus comprising:

means for generating magnetic resonance images of the subject disposed within an examination region;

localizing means for localizing the target region from the MR images;

reference means for non-invasively localizing a plurality of reference points disposed in proximity to the target; and

modeling means for generating a relationship between the reference ~~markers~~ points and the target region.

12. (Currently Amended) An apparatus as set forth in claim 11 further comprising:

means for localizing at least a sub-set of the reference points during a treatment session; and

interventional means for controlling an interventional tool based on the localized reference points from the treatment session which serve as input to the relationship between the reference ~~markers~~ points and the target region to estimate the location of the target.

13. (Previously Presented) An apparatus as set forth in claim 11 wherein the plurality of reference points are defined by a plurality of external markers disposed on the subject and the reference markers are localized using a plurality of video cameras.

14. (Original) An apparatus as set forth in claim 11 wherein the plurality of reference points are defined by a plurality of points on the diaphragm of the subject and the reference points are localized using a navigator processor.

15. (Original) An apparatus as set forth in claim 12 wherein the interventional tool comprises a focused ultrasound ablator.